


PROJECT
FIXTURE TYPE
CATALOG#

© 2005 - 2008 ALLSCAPE. All rights reserved.
 ALLSCAPE is a registered trademark of Philips.
 Due to a program of continuous improvement, ALLSCAPE reserves the right to make any variation in design or construction to the equipment described.

Specifications

- Description** The lighting post shall be all aluminum, one piece construction, consisting of a smooth or fluted shaft and a decoratively curved base.
- Materials** The base material shall be heavy wall cast aluminum, formed true to the pattern with complete detail. The shaft material shall be fluted, extruded aluminum. A smooth extruded aluminum shaft is also available. All hardware shall be tamper resistant stainless steel. Anchor bolts to be hot dipped galvanized.
- Dimensions** The post shall be X'-XX" in height with a 12" diameter base. The post shaft shall have a 4" outside diameter and a 3" tenon at the top for luminaire mounting. Smooth shaft available in 0.187" or .25" wall thicknesses. Fluted shaft available in 0.187" wall thickness only. The base shall have a height of 35".
- Installation** The post shall be provided with four 1/2" diameter by 18" long L-type anchor bolts to be installed on a 8-1/2" bolt circle. An access door shall be provided in the base for securing anchor bolts and wiring access. A grounding screw shall be provided inside the base opposite the door for easy access.
- Finish** BK-BZ-WH-GR-GY-NA baked enamel standard, other colors available or powder coat optional. Prime painted (PP) posts are also available.



Dimensions

Model	Base Dia.	Base Height	Weight
LS-36	12"	35"	27#

Product Order Guide

Series	Base Size	Mounting Height	Shaft	Finish	Option
LS-36	12	14	S Smooth	BK Black	PC Powder Coat
		12	F Fluted	BZ Bronze	GFIB Provision duplex receptacle in base
		10		WH White	GFIP Provision duplex receptacle in post
				GR Green	T2 Tenon 2-3/8"
				NA Natural Alum	T# Specify Tenon size
				GY Gray	
				CC Custom Color	
				PP Prime Painted	

Example: LS-36-12-10-F-BK-PC-T2

